

cc 47  
cc 12 d

CITY COUNCIL MEETING

JUNE 15, 1983

Council was apprised that only one bid had been received for "Public Safety Building Repair of Roof Eyebrow", namely,

RES. 83-53	<u>BIDDER</u>	<u>BID</u>
	Diede Construction Co.	\$14,750.00

AWARD - CONTRACT FOR PUBLIC SAFETY BUILDING REPAIR OF ROOF EYEBROW  
City Manager Glaves recommended that the award be made and Council adopted Resolution No. 83-53 awarding the contract for "Public Safety Building Repair of Roof Eyebrow" to Diede Construction in the amount of \$14,750.00 and appropriated an additional \$3,000.00 to complete this project.



# CITY OF LODI

PUBLIC WORKS DEPARTMENT

## COUNCIL COMMUNICATION

ELL

### Project Data

TO: City Council  
 FROM: City Manager  
 DATE: June 9, 1983  
 SUBJECT: Public Safety Building  
 Repair of Roof Eyebrow

Approved in F.Y. Budget: 1982/83  
 Fund: General Fund  
 Amount Budgeted: \$15,000  
 Total Project Estimate: \$18,000  
 Bid Opening Date: June 8, 1983

RECOMMENDED ACTION: That the City Council award the contract for the above project to Diede Construction in the amount of \$14,750 and appropriate an additional \$3,000 to complete the project.

BACKGROUND INFORMATION: This project consists of repairing the Public Safety Building roof eyebrow (overhang) by the installation of tapered roof material and reinforcement of the corners. This work will correct ponding of rain water which has deteriorated the roof.


Plans and specifications for this project were approved on May 18, 1983.

The City has received the following bid for this project:

BIDDER	LOCATION	BID
Diede Construction	Woodbridge	\$14,750.00
Project Estimate		\$15,000.00

The bid has been reviewed with the contractor and it is felt the contract should be awarded. The additional funds are needed to cover engineering and inspection costs.

A tabulation of the bid is attached.



Jack L. Ronsko  
 Public Works Director

Attachment

cc: Assistant Finance Director

JLR/RCP/eeh

APPROVED:

HENRY A. GLAVES, City Manager

FILE NO.

PUBLIC SAFETY BUILDING REPAIR OF ROOF EYEBROW  
210-230 W. Elm Street

Tabulation of bids received June 8, 1983

<u>ITEM NO.</u>	<u>APPROXIMATE QUANTITY</u>	<u>DESCRIPTION</u>	<u>ENGINEER'S ESTIMATE</u>	<u>Diede Construction</u>
1.	LS	Remove existing built-up roofing and edge flashing		\$ 2,750.00
2.	LS	Reconstruct corner framing		6,350.00
3.	LS	Tapered rigid insulation and built-up roofing		<u>5,650.00</u>
		TOTAL	\$15,000.00	\$14,750.00

