

CITY COUNCIL MEETING

August 5, 1981

CLASS II SLURRY  
SEAL SPECS  
APPROVED

COUNCIL APPROVED THE SPECIFICATIONS FOR CLASS II  
SLURRY SEAL AND AUTHORIZED THE PURCHASING AGENT  
TO ADVERTISE FOR BIDS THEREON.



# CITY OF LODI

PUBLIC WORKS DEPARTMENT

## COUNCIL COMMUNICATION


**TO:** City Council  
**FROM:** City Manager  
**DATE:** July 28, 1981  
**SUBJECT:** Approval of Class II Slurry Seal Specifications

**RECOMMENDED ACTION:** That the City Council approve the specifications for Class II Slurry Seal and authorize the purchasing agent to advertise for bids to be received Wednesday, August 19, 1981.

**BACKGROUND INFORMATION:** Slurry sealing of City streets is done by contract and is usually broken into two contracts, one in the Fall and another in the Spring. Because of the good prices we received in June we are recommending that the entire 1981-82 Street Slurry Sealing Program go to bid at this time. Funds to accomplish the program are included in the 1981-82 Operating Budget.

Quantity

Streets 492,890 S/F

  
Jack L. Ronsko  
Public Works Director

cc: Bob Holm

JLR:sib

APPROVED:

HENRY A. GLAVES, City Manager

FILE NO.

NOTICE TO BIDDERS TO APPLY

CLASS II SLURRY SEAL

The City of Lodi invites sealed proposals to apply Class II Slurry Seal to City streets, conforming to specifications on file in the office of the Public Works Director, City Hall, Lodi, California where copies of said specifications may be inspected or obtained.

Sealed proposals shall be delivered to the Purchasing Agent at the City Hall, 221 West Pine Street, Lodi at or before

11:00 A.M., WEDNESDAY, AUGUST 19, 1981

and will be opened on the above day and hour in the City Hall Council Chambers, City Hall, Lodi, California.

The City of Lodi reserves the right to reject any or all bids, or to accept other than the lowest bid.

Reference is hereby made to said specifications for further details, which specifications and this notice shall be considered part of any contract made pursuant thereto.

R.H. Holm  
Purchasing Agent

# NOTICE INVITING BIDS TO APPLY

## CLASS II SLURRY SEAL

Sealed proposals marked "Bid to Apply Class II Slurry Seal" will be received by the Purchasing Agent in his office, City Hall, 221 West Pine Street, Lodi, California 95240, until 11:00 a.m., on Wednesday, August 19, 1981, at which time they will be publicly opened and read.

### BID REQUIREMENTS

#### 1. General Description of the Work

The work to be done consists in general of sealing various streets, by placing a Class II Slurry Seal over existing pavement. Areas to be Slurry Sealed are shown on attached City of Lodi map.

#### 2. Specifications

Slurry Seal shall conform to the requirements of Section 37-2, State of California, Standard Specifications, January 1978. Mixing and placing of Slurry Seal shall conform to the requirements of Section 37-2, State of California, Standard Specifications, January 1981.

#### 3. Materials

3.1 Bituminous Binder shall be mixing type asphalt emulsion C SS-1 with grade 60-70 paving asphalt base (American Asphalt institute designation C SS1-h Quickset Cationic Emulsion) conforming to section 94, standard specification.

#### 3.2 Application of Slurry Seal

The mixture shall be spread to an average thickness of 3/16" with a minimum thickness of not less than 1/8" and a maximum thickness not to exceed 1/4" and shall be placed at a rate of not less than 10 lbs. or more than 18 lbs. of aggregate per square yard.

#### 3.3 Aggregate shall conform to the following gradings:

<u>Sieve Size</u>	<u>Percentage Passing</u>
3/8	100
No. 4	90-100
No. 8	65-90
No. 16	40-70
No. 30	25-50
No. 200	5-15

4. Special Provisions

4.1 Surface Preparation

City of Lodi shall be responsible to flush, patch and crackfill streets prior to sealing.

4.2 Stockpile of Material

City of Lodi shall supply area to store aggregate required for sealing. Stockpile area shown on attached City map.

4.3 Weight Tags

City of Lodi shall be supplied a copy of the weight tags of the aggregate delivered to the stockpile.

4.4 Sieve Analysis

Successful bidder shall submit a sieve analysis by a certified testing laboratory prior to delivering aggregate to stockpile.

4.5 Notification of Residents

City of Lodi shall notify residents of street closure, date and time.

4.6 Protection of Utility Risers

City of Lodi shall oil all utility risers prior to sealing and clean lids after sealing.

4.7 Maintaining Traffic and Protection of Work Site

Contractor shall be responsible to furnish all barricades and signs to protect work site and safe passage of public traffic.

4.8 Beginning and Ending Limits of Work

Start and finish of Slurry application shall be a straight line obtained by laying a strip of building material and removing after Slurry Seal is applied.

Slurry Seal shall cover the crack between toe of gutter and pavement without protruding onto the concrete. No excessive build-up nor unsightly appearance shall be permitted on longitudinal or transverse joints.

4.9 The contract price of the Class II Slurry Seal shall include full compensation for furnishing all labor, material, tools and equipment to apply the Class II Slurry Seal and no additional compensation will be allowed therefore. This includes cleaning up all excess materials and protecting the Seal from traffic damage until the mixture is cured sufficiently so that material will not adhere to the tires of a vehicle.

4.10 Contractor shall complete work within 30 days after award of bid.

R.H. HOLM  
Purchasing Agent

BID PROPOSAL

CLASS II SLURRY SEAL

CITY OF LODI, CALIFORNIA

The undersigned declares that he has examined the bid requirements and submits the following bid:

Street Name	Boundry	Dimension	S/F	Cost Per S/F	Cost
Crescent Avenue	Vine-Tamarack	1900x43.5	82,650		
Crescent Avenue	Tamarack-Kettleman	800x45	36,000		
Cardinal Street	Crescent-Fairmont	780x30.5	23,790		
Avena Avenue	Tamarack-Cardinal	750x30.5	22,875		
Tamarack Drive	Avena-Crescent	300x30.5	9,150		
York Street	Fairmont W. to Cui-de-sac	1000x31	31,000		
York Street	Cul-de-sac	70x28	1,960		
Pleasant Avenue	Lodi Ave.-Chestnut	310x27	8,370		
Pleasant Avenue	Chestnut-405	200x33	6,600		
Pleasant Avenue	415-513	380x42.5	16,150		
Pleasant Avenue	513-Tokay Street	480x33	15,840		
Mission Street	Stockton-Washington	650x35	22,750		
Daisy Avenue	Ham Lane-Grant	1850x33.5	61,975		
Daisy Avenue	Grant-California	620x38	23,560		
Bel Air Court	900 Block	1100x31	34,100		
Bel Air Court	Knuckles	150x16	2,400		
Fairmont Avenue	Lockeford-Holly Dr.	930x34	31,620		
Sunset Drive	Graffigna Ave.	750x32	24,000		
Graffigna Avenue	Fairmont-Sunset	300x34	10,200		
Crescent Avenue	Louie-Daisy	900x31	27,900		

TOTAL S/F 492,890 TOTAL COST \_\_\_\_\_

**CONTRACTOR** \_\_\_\_\_

**ADDRESS** \_\_\_\_\_

\_\_\_\_\_

**BY** \_\_\_\_\_

**TITLE** \_\_\_\_\_

**DATE** \_\_\_\_\_

**PHONE NUMBER** \_\_\_\_\_

